Form PTO-1449 U.S. DEPARTMENT OF COMMERCE					ATTY. DOCKET NO.		SERIAL NO.				
PATENT AND TRADEMARK OFFICE					2852-G			10/802,133			
THE CHATION DISCUSSION OF CITATION			APPLICANT								
NINFORMATION DISCLOSURE CITATION				Dirk M. Anderson							
(Use several sheets if necessary)				FILING DATE		GROU	IP				
HITH 1	a co	ម្រ Se several sheets i	if necessary	<i>)</i>)	March 16, 200	4			1646		
Kon.	JAKES	1	-		NT DOCUMENTS						
TE ME						ASS SUBCLASS		51.0	FILING DATE		
EXAMINE		DOCUMENT NUMBER	DATE		NAME	CLAS	`\`	UBCLAS		ROPRIATE	
/EOI	H/	5,670,319	09/23/97	Goeddel et a							
		5,710,013	01/20/98	Goeddel et a	ıl.					-	
		5,763,223	06/09/98	Wiley et al.							
		5,767,244	06/16/98	Goeddel et a		_					
		5,789,550	08/04/98	Goeddel et a	1		_	_			
		5,843,678	12/01/98	Boyle							
		5,961,974	10/05/99	Armitage et							
		6,015,938	01/18/00	Boyle et al.							
		6,017,729	01/25/00	Anderson et							
		6,150,090	11/21/00	Baltimore et	t al.	 	_				
		6,242,213	06/05/01	Anderson		 					
		6,242,586	06/05/01	Gorman et a		1					
		6,271,349	08/07/01	Dougall et a	<u>1</u>	1		-+			
		6,316,408	11/13/01	Boyle		1			_		
		6,410,516	06/25/02	Baltimore e	t al.	1	_				
		6,419,929	07/16/02	Anderson			_				
		6,525,180	02/25/03	Gorman et a		<u> </u>	$\perp \perp$		_		
\vdash		6,528,482	03/04/03	Anderson et			\vdash	-			
		6,537,763	03/25/03	Dougall et a	l.	ļ		\rightarrow			
W	l	6,740,522	05/25/04	Anderson				— /		· · · · · · · · · · · · · · · · · · ·	
		T	1	FOREIGN PA	TENT DOCUMENTS	τ	- 1				
/EOH	H/	DOCUMENT NUMBER	DATE	COUNTRY		CLAS	s s	SUBCLAS		TRANSLATION YES NO	
		EP 0816380 A1	07.01.98	EP			\dashv		YES	NO T	
 		EP 0873998 A2	28.10.98	EP		 	_	 		 	
		EP 0911342 A1	28.04.99	EP		1	_				
		EP 0955372 A2	10.11.99	EP		 	_		- 		
		WO 93/08207	29.04.93	PCT		 			- }		
		WO 95/33051	07.12.95	PCT		 			 		
		WO 96/34095	31.10.96	PCT		1	1			 	
		WO 97/23614	03.07.97	PCT				, 		1	
		WO 98/25958	18.06.98	PCT			1				
	,	WO 98/28423	02.07.98	PCT							
		WO 98/46644	22.10.98	PCT							
		WO 98/46751	22.10.98	PCT							
		WO 98/54201	03.12.98	PCT							
		∕ ₩O 99/29865	06.17.99	PCT							
		WO 99/65449	23.12.99	PCT							
		WO 99/65495	23.12.99	PCT							
		WO 01/23549	05.04.01	PCT			$\bot L$				
V	1	WO 02/15846	28.02.02	PCT	2.75 20	<u> </u>	\perp L				
EXAMI	NER	/Eileen O'Hara/		,	DATE CONSIDERED (06/19/20	07				
*EXAM	IINER: In	itial if citation conside	red, whether	or not citation i	s in conformance with MF	PEP 609	Drav	v line th	rough citat	ion if not	
in con	formance	and not considered.	Include copy	of this form with	th next communication to	applicar	ıt.				

1

Form F	PTO-1	U.S. DEPARTMENT OF COMMERCE	ATTY. DOCKET NO.	SERIAL NO.			
		PATENT AND TRADEMARK OFFICE	2852-G	10/802,133			
INF	ORMA	ATION DISCLOSURE CITATION	APPLICANT				
			Dirk M. Anderson				
		(Supplemental sheet)	March 16, 2004	1646			
·		OTHER DOCUMENTS (Including Au	uthor, Title, Date, Pertinent Page	es, Etc.)			
/EOH/		Anderson et al., "A homologue of the TNF receptor and its ligand enhance T-cell growth dendritic-cell function," <i>Nature</i> 390:175-179, 1997.					
		Baker, Stacey J. and Reddy, E. Premkumar, "Transducers of life and death: TNF receptor superfamily and associated proteins," Oncogene, 12(1):1-9, 1996.					
		Boyle v. Gorman and Mattson, Board of Patent Appeals and Interferences, Interference No. 104,336, Paper No. 39.					
		Camerini et al., "The T cell activation antigen CD27 is a member of the nerve growth factor/tumor necrosis factor receptor gene family," <i>J. Immunol.</i> 147:3165, 1991.					
	/	Durkop et al., "Molecular cloning and expression of a new member of the nerve growth factor receptor family that is characteristic for Hodgkin's Disease," Cell 68:421, 1992.					
		Embl database entry HS421358; accession no. W74421, homo sapiens cDNA clone 346544 containing alu repetitive element, Hillier et al., June, 1996.					
	/	Embl-est database accession no. R93478, yq16f06.rl homo sapian cDNA clone 197123 5' sequence, Hillier et al., August, 1995.					
		Galibert et al., "The involvement of multiple tumor necrosis factor receptor (TNFR)-associated factors in the signaling mechanisms of receptor activator of NF-?B, a member of the TNFR superfamily," J. Biol. Chem. 273(51):34120-34127, 1998.					
	(GenEmbl database accession no. X15271, locus.HSTRGV3F, human T-cell receptor gammaV3F, Lefranc, M. P., March, 1991.					
		George et al., "Current methods in sequence comparison and analysis, selected methods and applications, eds. David H. Schlesinger, Alan R. Liss, Inc., New York, pp. 124-129, 1988.					
		Gibbs, Jackson B. and Oliff, Allen, "Pharmaceutical research in molecular oncology," Cell, 79:193-198, 1994.					
		Gray et al., "P-element-induced recombination in drosophila melanogaster: hybrid element insertion," <i>Genetics</i> 144(4):1601-1610, 1996.					
	(Guise, Theresa A. and Mundy, Gregory R., "Cancer and bone," <i>Endocrine Reviews</i> 19(1):18-54,1998.					
		Huang, Jing and Schreiber, Stuart L., "A yeast genetic system for selecting small molecule inhibitors of protein-protein interaction in nanodroplets," <i>Proc. Natl. Acad. Sci. USA</i> , 94:13396-13401, 1997.					
	/	Itoh et al., "The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis," Cell 66:233, 1991.					
		Johnson et al., "Expression and structure of the human NGF receptor," Cell 47:545, 1986.					
\forall		Kodaira et al., "Cloning and characterization of the gene encoding mouse osteoclast differentiation factor," Gene 230:121-127, 1999.					
EXAMINE	R		DATE CONSIDERED 06/19/	2007			
*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							
III CONIO	mance	and not considered. Include copy of this form with	n next communication to applicat	I I			

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE			ATTY. DOCKET NO. SERIAL NO.						
	. •	PATENT AND TRADEMARK OFFICE	2852-G	10/802,133					
INFO	DRM.	ATION DISCLOSURE CITATION	APPLICANT Diels M. Anderson						
			Dirk M. Anderson FILING DATE I GROUP						
		(Supplemental sheet)	March 16, 2004	1646					
		OTHER DOCL	JMENTS (cont.)						
/EOH/		Kwon et al., "cDNA sequences of two inducible T-cell genes," Proc. Natl. Acad. Sci. USA 86:1963, 1989.							
		Lacey et al., "Osteoprotegerin ligand is a cytokine that regulates osteoclast differentiation and activation," Cell, 93:165-175, 1998.							
	Lynch et al, "A fluorescence polarization based Src-SH2 binding assay," Analytical Biochemistry, 247:77-82, 1997.								
	Mallet et al., "Characterization of the MRC OX40 antigen of activated CD4 positive T lymphocytes – a molecule related to nerve growth factor receptor," <i>EMBO J.</i> 9:1063, 1990.								
	Marra et al., The WashU-HHMI Mouse EST project, Accession Number AA170348, 16 February 1997.								
	Nakagawa et al., "RANK is the essential signaling receptor for osteoclast differentiation fact in osteoclastogenesis," <i>Biochem. and Biophys. Res. Comm.</i> 253:395-400, 1998.								
	Pullen et al., "CD40tumor necrosis factor receptor-associated factor (TRAF) interactions: regulation of CD40 signaling through multiple TRAF binding sites and TRAF hetero-oligomerization," <i>Biochemistry</i> 37(34):11836-11845, 1998.								
	Roodman, G. David, "Advances in bone biology: the osteoclast," <i>Endocr Rev.</i> 17(4):308 1996.								
	Rossi et al., "Monitoring protein-protein interactions in intact eukaryotic cells by β-galactosidase complementation," <i>Proc. Natl. Acad. Sci. USA</i> 91:8405-8410, 1997.								
	Rothe, M. et al., "The TNFR2-TRAF signaling complex contains two novel proteins relabaculoviral inhibitor of apoptosis proteins," <i>Cell</i> 83:1243-1252, 1995.								
Schall et al., "Molecular cloning and expression of a receptor for human tumor necreation of the control of the									
Simonet et al., "Osteoprotegerin: A novel secreted protein involved in the regulation density," Cell 89:309-319, 1997.									
	Smith, C. et al., "A receptor for tumor necrosis factor defines an unusual family of cellula viral proteins," Sci. 248:1019-1022, 1990.								
	Stamenkovic et al., "A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas," <i>EMBO J.</i> 8:1403, 1989.								
		Suda et al., "Modulation of osteoclast differentiation by local factors," <i>Bone 17(2)</i> :87S-91S; 1995.							
		Suda et al., "Modulation of osteoclast differentiation," Endocr Rev. 13:66-80, 1992.							
V		Suda et al., "Modulation of osteoclast differentiation: update 1995," in Endocr Rev. Monographs, 4(1):266-270; 1995.							
EXAMINE	/Eileen O Hara/ 06/19/2007								
*EXAMINE in conform	R: Ini nance	tial if citation considered, whether or not citation is and not considered. Include copy of this form wit	s in conformance with MPEP 609 h next communication to applica	; Draw line through citation if not nt.					

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE						ATTY. DOCKET NO. 2852-G	SERIAL NO. 10/802,133			
INFORMATION DISCLOSURE CITATION					ATION	APPLICANT				
IN ORMATION BIOGEOGORE ON ATTOM						Dirk M. Anderson				
(Supplemental sheet)						March 16, 2004	1646			
					THER DOCL	JMENTS (cont.)				
/EOH/		/	Takahashi N et al., "A new member of tumor necrosis factor ligand family, ODF/OPGL/TRANCE/RANKL, regulates osteoclast differentiation and function," Biochem Biophys Res Commun 1999; 256:449-455.							
	resorption induced by 1α,25-dihydroxyvita		n factor mediates an essential signal for bone itamin D ₃ , prostaglandin E ₂ , or parathyroid hormone in Biophys Res Commun 1998; 246:337-341.							
		White, Michael A., "The yeast two-hybrid system: forward and reverse," <i>Proc. Natl. Acad. Sci USA</i> , 93:10001-10003, 1996.								
		Wiley, SR et al., "Identification and characterization of a new member of the TNF family that induces apoptosis," <i>Immunity</i> 1995; 3(6):673-682.								
	Wong et al., "TRANCE is a novel ligand of the tumor necrosis factor receptor family that activates c-Jun N-terminal kinase in T cells," J. of Biological Chemistry 272(40):25190-21997.									
Wong et al., "TRANCE (Tumor necrosis factor [TNF]-related activation-induced cythew TNF family member predominantly expressed in T cells, is a dendritic cell-spec survival factor," J. Exp. Med. 186(12):2075-2080, 1997.										
	Wong et al., "The TRAF family of signal transducers mediates NF-κB activation by the TRANCE receptor," J. Biol. Chem. 273(43):28355-28359, 1998.									
	Xing et al., "Mechanisms by which NF-κB regulates osteoclast numbers," Abstract ASBM Meeting, U of TX Health Science Center, 1998.						umbers," Abstract ASBMR			
Xu et al., "Targeted disruption of TRAF3 leads to postnatal lethality as immune responses," <i>Immunity</i> 5:407-415, 1996.					lity and defective T-dependent					
		Yasuda et al., "Osteoclast differentiation factor is a ligand for osteoprotegerin/ osteoclastogenesis-inhibitory factor and is identical to TRANCE/RANKL," <i>Proc. Natl. Acad Sci.</i> 95:3597-3602, 1998.								
1	Yun et al., "OPG/FDCR-1, a TNF receptor family member, is expressed in lymphoid cells a is up-regulated by ligating CD40 ¹ ," <i>J. Immunol.</i> 161:6113-6121, 1998.						pressed in lymphoid cells and 1998.			
			<u> </u>	*						
-	-						· .			
EXA	MINEF		(E)			DATE CONSIDERED 06	5/19/2007			
/Eileen O'Hara/ *EXAMINER: Initial if citation considered, whether of not citation is in					s in conformance with MPEP	609: Draw line through citation if not				
in co	onform	nance	and not co	nsidered. Include copy of	of this form wit	h next communication to appl	icant.			